

How to use a Rapid Antigen Test

6 April 2022

Test instructions vary depending on the brand. Many rapid antigen testing kits generally follow the instructions below, but not all. Please follow the manufacturer's instructions.

Collecting a sample




1 Remove a nasal swab from the pouch.



2 Insert the swab into one of your nostrils up to 2-3cm from the edge of the nostril.



3 Slowly roll the swab 5 times on the inside surface of the nostril. Using the same swab, repeat in the other nostril.



4 Check the kit box instructions to confirm the correct time frame to read your result. This may vary depending on the kit.

Testing the sample



5 Peel off aluminium foil seal from the top of the vial, which contains the solution buffer.




6 Place the swab into the solution in the vial. Rotate the swab vigorously at least 5 times.




7 Remove the swab by rotating the swab against the vial, while squeezing the sides to release the liquid from the swab.



8 Close the vial with the provided cap and push firmly onto the vial. Mix thoroughly by flicking the bottom of the tube.



9 Turn vial upside down and hold sample over sample well. Squeeze vial gently. Allow between 3 - 5 drops to fall into the sample well.



10 Please check on the kit instructions and follow the confirmed time to check for your test result. Dispose of the used kit in your general waste.

Reading your result


Negative

One line next to the **C** indicates the test is negative.




Positive

Two lines, one next to **C** and one next to **T** (even faint lines) indicate the test is positive.



Invalid Result

No line next to **C** indicates the test is invalid. With an invalid result you should retest. Follow manufacturer guidelines on how long to wait.



Reporting your result

You need to report your result. This can be done on My Covid Record.

Log into mycovidrecord.health.nz or call 0800 222 478 and press option 3.


If you are in the CCES, you should advise your employer of your result.



COVID-19 – Testing guidance




Symptomatic person – means you have one or more COVID-19 symptoms. Go to covid19.govt.nz for more information



Do a RAT test as soon as you have one. If you get a positive result, once you record your result, you will receive more information



Test 48 hours later if you tested negative but still have symptoms. If you test negative again you should contact a health professional for support.




NOTE
If someone you live with tests positive for COVID-19, refer to the testing plan for the household contact (below scenario).



Household contact – means you live in the same house as someone who has COVID-19 but you don't have symptoms




Someone in your house tests positive for COVID-19



Do a RAT test **3 days** after the case tested positive








If you develop symptoms then you should follow the symptomatic person (above scenario)



If you don't develop symptoms, you should test again **7 days** after the case tested positive.



Critical worker in CCES – means someone who is a critical worker and is eligible for CCES. Go to business.govt.nz for more information



Test each day you're working to check you're negative. You don't need to test on the days you are not working, but you still need to follow the CCES guidance for critical workers